



# MORE THAN JUST A TELEPHONE.



## M SERIES STANDARD

Sophisticated styling. Smart technology.

# M SERIES STANDARD

M Series Standard hotel phones are available in analog, VoIP, corded, and cordless configurations. Choose 0, 5, or 10 guest service keys on the phone, and 0, 3, or 6 on the RediDock remote handset kit. USB charging ports on the phone and RediDock support smart device recharging. Optional alarm clock with remote control. OneTouch voice mail retrieval automates guest messaging. AutoSync registers RediDock handsets with the base to eliminate connection failures and misplaced handsets.

## National Account Package

Place your minimum 50-phone Teledex M Series Standard order and receive:

- Free printing and installation of full-color faceplates with room numbers.
- Free 10% spare faceplates.
- Free speed dial key pre-programming.
- Free ground shipping within the Continental U.S.

Matching MTRM Trimline available.



Versatile M Series Standard front/rear facing RediDock remote handset kits.



## M Series Standard Analog Cordless

- Available Frequencies: 1.8 GHz and 1.9 GHz
- Single or Two-line speakerphones
- Handset speakerphone
- Supports up to five handsets, including one on the base and four remotes (RediDocks)
- 0, 5, or 10 configurable guest service keys on base
- 0, 3, or 6 configurable guest service keys on handset
- Patented OneTouch voice mail retrieval
- Dual Neon/LED message-waiting light
- 2 side USB power ports for device charging
- Electronic 3-way conference (2-line only)
- HAC/VCH (ADA) compliant handset volume boost
- Full-length customizable paper faceplate
- Available in Black

## M Series Standard VoIP Cordless

- Available Frequencies: 1.8 GHz and 1.9 GHz
- Single or Two-line speakerphones
- Handset speakerphone
- Supports up to five handsets, including one on the base and four remotes (RediDocks)
- 0, 5, or 10 configurable guest service keys on base
- 0, 3, or 6 configurable guest service keys on handset
- Patented OneTouch voice mail retrieval
- Dual Neon/LED message-waiting light
- 1 side USB power port for device charging
- HAC/VCH (ADA) compliant handset volume boost
- Electronic 3-way conference (2-line only)
- Full-length customizable paper faceplate
- Available in Black

## M Series Standard Analog Corded

- Single or Two-line speakerphones
- Optional alarm clock with remote control
- 5 or 10 configurable guest service keys
- Patented OneTouch voice mail retrieval
- Dual Neon/LED message-waiting light
- 2 side USB power ports for device charging
- Electronic 3-way conference (2-line only)
- HAC/VCH (ADA) compliant handset volume boost
- Full-length customizable paper faceplate
- Trimline available
- Available in Black

## M Series Standard VoIP Corded

- Single or Two-line speakerphones
- 5 or 10 configurable guest service keys
- Patented OneTouch voice mail retrieval
- Dual Neon/LED message-waiting light
- 1 side USB power port for device charging
- Electronic 3-way conference (2-line only)
- HAC/VCH (ADA) compliant handset volume boost
- Full-length customizable paper faceplate
- Trimline available
- Available in Black

# M SERIES STANDARD VoIP

## SPECIFICATIONS

<b>Standard Color:</b>	Black
<b>Footprint:</b>	217 mm x 147.2 mm x 93 mm
<b>Footprint (Trimline):</b>	240 mm x 76.2 mm x 64 mm
<b>Footprint (RediDock):</b>	215 mm x 66 mm x 69 mm
<b>Weight:</b>	2.43 lbs / 1100 g
<b>Weight (Trimline):</b>	1.32 lbs / 600 g
<b>Weight (RediDock):</b>	1.43 lbs / 650 g
<b>Frequency:</b>	1.9 GHz or 1.8 GHz
<b>Power:</b>	Power over Ethernet (POE) 802.3af Compliant
<b>Power (Cordless):</b>	Remote Charging Station includes Handset with Battery & A/C adaptor
<b>Standby Time (Cordless):</b>	10 days
<b>Talk Time (Cordless):</b>	6 hours

## PART NUMBERS

### SINGLE-LINE VoIP CORDED

#### M100IP5 - 5 GSK

MV10S5D ..... Black

#### M100IP10 - 10 GSK

MV10S10D ..... Black

#### M100IPTRM - Trimline

MV10NT ..... Black

### TWO-LINE VoIP CORDED

#### M200IP5 - 5 GSK

MV20S5D ..... Black

#### M200IP10 - 10 GSK

MV20S10D ..... Black

#### M200IPTRM - Trimline

MV20NT ..... Black

### SINGLE-LINE VoIP CORDLESS

#### M103IP5 - 5 GSK/0 GSK HDKIT

MV1319S5D ..... Black

#### M103IP53 - 5 GSK/3 GSK HDKIT

MV1319S53D ..... Black

#### M103IP56 - 5 GSK/6 GSK HDKIT

MV1319S56D ..... Black

#### M103IP10 - 10 GSK/0 GSK HDKIT

MV1319S10D ..... Black

#### M103IP103 - 10 GSK/3 GSK HDKIT

MV1319S103D ..... Black

#### M103IP106 - 10 GSK/6 GSK HDKIT

MV1319S106D ..... Black

#### M103IPHDKT - 0 GSK HDKIT

MV1319SHK ..... Black

**Range (Cordless):** ..... 100ft (30m)

**Humidity:** ..... 65% ± 20%

**Temperature:** ..... 77°F ± 50° (25°C ± 10°C)

**Packaging:** ..... 10 per carton

**Packaging (RediDock):** ..... 20 per carton

**Faceplate Size:** ..... Full length

**FCC Specifications:** ..... FCC Part 15 Subpart B: 2009

**Safety Standard:** ..... UL - 60950-1 2nd edition

..... ADA/HAC

**Handset Coil Cord:** ..... 10 ft (3.048m)

**Line Cord:** ..... RJ14 line cord - 15 ft (4.5m)

**Line Cord (Cordless):** ..... RJ45 line cord - 15 ft (4.5m)

RFCs: 3261 (SIP), 3842 (SIP Subscribe), 2833 (SIP Info)

### M103IP3HDKT - 3 GSK HDKIT

MV1319S3HK ..... Black

### M103IP6HDKT - 6 GSK HDKIT

MV1319S6HK ..... Black

### M203IP10 - 10 GSK/0 GSK HDKIT

MV2319S10D ..... Black

### M203IP103 - 10 GSK/3 GSK HDKIT

MV2319S103D ..... Black

### M203IP106 - 10 GSK/6 GSK HDKIT

MV2319S106D ..... Black

### M203IPHDKT - 0 GSK HDKIT

MV2319SHK ..... Black

### M2033IPHDKT - 3 GSK HDKIT

MV2319S3HK ..... Black

### M2036IPHDKT - 6 GSK HDKIT

MV2319S6HK ..... Black

### TWO-LINE VoIP CORDLESS

#### M203IP5 - 5 GSK/0 GSK HDKIT

MV2319S5D ..... Black

#### M203IP53 - 5 GSK/3 GSK HDKIT

MV2319S53D ..... Black

#### M203IP56 - 5 GSK/6 GSK HDKIT

MV2319S56D ..... Black

# M SERIES STANDARD ANALOG

## SPECIFICATIONS

<b>Standard Color:</b>	Black
<b>Footprint:</b>	217 mm x 147.2 mm x 93 mm
<b>Footprint (Trimline):</b>	240 mm x 76.2 mm x 64 mm
<b>Footprint (RediDock):</b>	215 mm x 66 mm x 69 mm
<b>Weight:</b>	2.54 lbs / 1150 g
<b>Weight (Trimline):</b>	1.27 lbs / 575 g
<b>Weight (Redidock):</b>	1.43 lbs / 650 g
<b>Frequency:</b>	1.9 GHz or 1.8 GHz
<b>Power:</b>	Adapter
<b>Power (Cordless):</b>	Remote Charging Station includes Handset with Battery & A/C adaptor
<b>Standby Time (Cordless):</b>	10 days
<b>Talk Time (Cordless):</b>	6 hours
<b>Range (Cordless):</b>	100ft (30m)
<b>Humidity:</b>	65% ± 20%

## PART NUMBERS

### SINGLE-LINE ANALOG CORDED

#### M1005 - 5 GSK

MA10S5D ..... Black

#### M100C5 - 5 GSK, Alarm Clock

MA10S5DC ..... Black

#### M10010 - 10 GSK

MA10S10D ..... Black

#### M100C10 - 10 GSK, Alarm Clock

MA10S10DC ..... Black

#### M100TRM - Trimline

MA10NT ..... Black

### M200C5 - 5 GSK, Alarm Clock

MA20S5DC ..... Black

### M20010 - 10 GSK

MA20S10D ..... Black

### M20010 - 10 GSK, Alarm Clock

MA20S10DC ..... Black

### M200TRM - Trimline

MA20NT ..... Black

### SINGLE-LINE ANALOG CORDLESS

#### M1035 - 5 GSK/0 GSK HDKIT

MA1319S5D ..... Black

#### M10353 - 5 GSK/3 GSK HDKIT

MA1319S53D ..... Black

#### M10356 - 5 GSK/6 GSK HDKIT

MA1319S56D ..... Black

**Temperature:** ..... 77°F ± 50° (25°C ± 10°C)

**Packaging:** ..... 10 per carton

**Packaging (RediDock):** ..... 20 per carton

**Faceplate Size:** ..... Full length

**FCC Specifications:** ..... Meets or exceeds Part 68,

..... FCC Part 15 & UL 1459 Ref.

**Safety Standard:** ..... UL - 60950-1 2nd edition

..... ADA/HAC

**Operating Voltage:** ..... 24 to 56 VDC Non-Polarity

**Flash Timing:** ..... 600 ms

**Ringer Equivalence:** ..... Z (Use only behind PBX)

**Handset Coil Cord:** ..... 10 ft (3.048m)

**Line Cord:** ..... RJ14 line cord - 15 ft (4.5m)

**Line Cord (Cordless):** ..... RJ45 line cord - 15 ft (4.5m)

### M10310 - 10 GSK/0 GSK HDKIT

MA1319S10D ..... Black

### M103103 - 10 GSK/3 GSK HDKIT

MA1319S103D ..... Black

### M103106 - 10 GSK/6 GSK HDKIT

MA1319S106D ..... Black

### M103HDKT - 0 GSK HDKIT

MA1319SHK ..... Black

### M1033HDKT - 3 GSK HDKIT

MA1319S3HK ..... Black

### M1036HDKT - 6 GSK HDKIT

MA1319S6HK ..... Black

### M20353 - 5 GSK/3 GSK HDKIT

MA2319S53D ..... Black

### M20356 - 5 GSK/6 GSK HDKIT

MA2319S56D ..... Black

### M20310 - 10 GSK/0 GSK HDKIT

MA2319S10D ..... Black

### M203103 - 10 GSK/3 GSK HDKIT

MA2319S103D ..... Black

### M203106 - 10 GSK/6 GSK HDKIT

MA2319S106D ..... Black

### M203HDKT - 0 GSK HDKIT

MA2319SHK ..... Black

### M2033HDKT - 3 GSK HDKIT

MA2319S3HK ..... Black

### M2036HDKT - 6 GSK HDKIT

MA2319S6HK ..... Black

### TWO-LINE ANALOG CORDLESS

#### M2035 - 5 GSK/0 GSK HDKIT

MA2319S5D ..... Black



U.S. Toll Free 1 800 794 8353  
Telephone +1 217 239 6533  
Fax +1 719 638 8757

[info@teledex.com](mailto:info@teledex.com)  
[teledex.com](http://teledex.com)